

Analysis of and Simulation of Boost derived converter with DC and AC outputs

Dr. K. Prasada Rao¹ A. Ram Reddy² Vanga Ashok³ T Uday Kiran⁴

¹Professor, Dept.of EEE, Siddhartha Institute of Engineering & Technology, Ibrahimpatnam, Hyderabad, Telangana, India.

²Associate professor, Dept.of EEE, Siddhartha Institute of Engineering & Technology, Ibrahimpatnam, Hyderabad, TS, India.

³Assistant professor, Dept.of EEE, Siddhartha Institute of Engineering & Technology, Ibrahimpatnam, Hyderabad, TS, India.


⁴Student, Dept.of EEE, Siddhartha Institute of Engineering & Technology, Ibrahimpatnam, Hyderabad, Telangana, India.

Abstract: The family of hybrid converter topologies which can supply simultaneous dc and ac loads from a single dc input. These topologies are realized by replacing the controlled switch of single-switch boost converters with a voltage-source-inverter bridge network. The resulting hybrid converters require lesser number of switches to provide dc and ac outputs with an increased reliability, resulting from its inherent shoot-through protection in the inverter stage. Such multioutput converters with better power processing density and reliability can be well suited for systems with simultaneous dc and ac loads, e.g., nanogrids in residential applications. This new hybrid converter has the advantages like reduced number of switches as compared with conventional design having separate converter for supplying AC and DC loads, provide DC and AC outputs with an increased reliability, resulting from the inherent shoot through protection in the inverter stage. For controlling switches PWM control, based upon unipolar Sine-PWM is described. Simulink model is used to validate the operation of the converter. The proposed Converter can supply DC and AC loads at 190 V and 48 V (rms) respectively from a 48 V DC source.

Keywords:- DC Nanogrid, Voltage source inverter(VSI), Boost-Derived Hybrid Converter, Buck-Boost Derived Hybrid Converter, Unipolar PWM.

I. INTRODUCTION

Nanogrid architectures are greatly incorporated in the modern power system [1-2]. In this system there is DC as well as AC loads supplied by different kinds of energy sources using efficient power electronic converters [3]. Fig.1 shows the schematic of the system in which single DC source supplies both AC and DC loads. Fig.1 (a) shows the conventional architecture in which DC and AC load supplied by separate DC-DC converter and DC-AC converter from a single DC source respectively.



(a)(b)

Fig1.Architectures supplying DC and AC load from a single DC source.

(a) Dedicated power converter based architecture and (b) Hybrid converter based architecture.

Cite this article as: Dr.K.Prasada Rao, A. Ram Reddy, Vanga Ashok & T Uday Kiran, "Analysis of and Simulation of Boost derived converter with DC and AC outputs", International Journal & Magazine of Engineering, Technology, Management and Research, Volume 5 Issue 8, 2018, Page 143-149


Whereas in Fig.1 (b) referred as hybrid converter in which a single converter stage perform both operations. This hybrid converter has the property of higher power processing capability and improved reliability resulting from the inherent shoot through protection. This paper investigates the use of single boost stage architecture to supply hybrid loads.

The conventional VSI in Hybrid converter would involve the use of dead time circuitry to avoid the shoot-through. Also misgating turn-on of switches may take place due to spurious noise resulting in damage of switches. For a compact system spurious signal generation is a common place. So VSI in such application need to highly reliable with appropriate measures against shoot-through and EMI induced misgating.


II. BOOST-DERIVED HYBRID CONVERTER

A. Proposed circuit modification

Conventional boost circuit is having two switches, one is a controllable switch (controls the duty cycle) and other can be implemented using a diode. Hybrid converter can be realized by replacing controllable switch in the boost circuit with a voltage source inverter, either single phase or three phase VSI. The resulting converter called as Boost Derived Hybrid converter (BDHC) [4].



(a)



(b)

Fig 2. (a) Conventional boost converter, (b) Proposed Boost-Derived Hybrid converter obtained by replacing Sa with a single-phase bridge network.

B. Derivation of BDHC topology

Control-switch S_a of a boost converter (shown in Fig. 2(a)) is replaced with a single phase bridge network switches (S_1 - S_4) to obtain Boost Derived Hybrid Converter (shown in Fig. 2(b)). AC and DC outputs are controlled using same set of switches (S_1 - S_4). So challenges involved in the operation of BDHC are, (a) defining duty cycle (D_{st}) for boost operation and modulation index (M_a) for inverter operation (b) control and channelization [5-7] of input DC power to DC as well as AC loads (c) Determination of voltage and current stresses various switches.

PROPOSED CONVERTER TOPOLOGY




Fig 3(a) Proposed converter topology

Boost converters comprise complementary switch pairs, one of which is the control switch (controls the duty cycle) and the other capable of being implemented using a diode. Hybrid converter topologies can be synthesized by replacing the controlled switch with an inverter bridge network, either a single-phase or three-phase one. The proposed circuit modification principle, applied to a boost converter, is illustrated in the next section.

The resulting converter, called BDHC, is the prime focus area of this paper. Section VI extends this principle to higher order converters. Each of the four bidirectional switches (Q1–Q4) of BDHC comprises the combination of a

switch S_i and an antiparallel diode D_i ($i = 1$ to 4). The boost operation of the proposed converter can be realized by turning on both switches of any particular leg (either S_1 – S_4 or S_3 – S_2) simultaneously. This is equivalent to shootthrough switching condition as far as VSI operation is concerned, and it is strictly forbidden in the case of a conventional VSI [8-10]. However, for the proposed modification, this operation is equivalent to the switching “on” of the switch “ S_a ” of the conventional boost converter.


The ac output of the BDHC is controlled using a modified version of unipolar sine-PWM switching scheme. The BDHC, during inverter operation, has the same circuit states as a conventional VSI. The reason for this is as follows: For conventional VSIs (shown in Fig. 2a), although the input to the bridge is a voltage stiff dc bus, the input dc voltage is required only during the power intervals, i.e., when there is a power transfer with the source. In the other intervals, the current freewheels among the inverter switches and these states do not require the input to be at a fixed dc value and hence can be zero [11]. In the BDHC,

the switch node voltage (V_{sn}) acts as the input to the inverter; it switches between the voltage levels— V_{dcout} and zero. The switching scheme should ensure that the interval for power transfer with the source occurs only when v_{sn} is positive, i.e., when V_{sn} is clamped to the dc output voltage V_{dcout} .

III. OPERATION OF BDHC

The boost operation is realized by switching on both switches of a particular leg (S_1 – S_4 or S_3 – S_2). This is equivalent to shoot through operation as far as VSI operation is concerned. However, in the operation of hybrid converter is concerned this is equivalent to switching on controllable switch S_a of the conventional boost converter

The ac output is controlled using a modified version of the unipolar sine width modulation [12]. The BDHC during inverter operation has the same circuit states as the conventional VSI. The switching scheme should ensure that the power transfer with source occurs only during V_{sn} is positive.



a)




Fig. 4(a) Shoot-Through interval, (b) Power interval and (c) Zero interval.

The BDHC has three distinct switching states as described below:

A. Interval 1: Shoot-Through interval

Fig. 3(a) showing the equivalent circuit during shoot-through interval. In this interval we adjust the duty cycle for the boost operation by turning on both switches of any particular leg at the same time. Diode D is reverse biased during this interval. Inverter current circulates within the bridge switches.

B. Interval 2: Power interval

Fig. 3(b) showing the equivalent circuit during power interval. Here inverter current enters

or leaves through switch node terminal S. Switches S_1 - S_2 or S_3 - S_4 turned. Diode is forward biased. Power delivered to both ac and dc loads.

C. Interval 3: Zero interval

Fig. 3(c) showing the equivalent circuit during zero interval. Here diode is in forward biased condition and power delivered to dc load. Inverter current circulates within the bridge switches [13-14].

IV. SIMULINK MODEL OF BOOST DERIVED HYBRID CONVERTER (BDHC)

For simulation of the proposed hybrid converter Parameters of the different circuit components are taken as: Input inductor (L) =5mH, DC capacitor (C) =1 mH, AC filter inductor ($L_{ac} = L_{ac1} + L_{ac2}$) =500 μ H, AC filter capacitor (C_{ac}) =10 μ F, DC load $R_{dc} = 20\Omega$, AC load $R_{ac} = 10\Omega$ and Switching frequency is taken as 20 KHz.




Fig. 5 Simulink model of Boost derived Hybrid converter.

V. SIMULINK MODEL OF PWM GENERATION CIRCUIT

Fig. 5 shows the Simulink model for the modified unipolar PWM control strategy. The signals shown in Fig.6 provided to gates of the controllable switches S_1-S_4 . $V(t)$ A DC signal controls the duration of shootthrough interval, hence adjust the duty cycle for the boost operation. (t) Controls the modulation index for inverter operation. Fig. 7(a) and (b) shows the DC and AC output voltage waveform. DC voltage gain can be achieved by BDHC is equivalent to boost converter, and is around four to five. Maximum value of AC voltage is equal to input voltage.




Fig. 6 Simulink model of PWM generation circuit




Fig. 7 Control signals to the switches





Fig.8 (a) Output DC voltage waveform, (b) Output AC voltage waveform.




Fig.9 Simulink model of Buck-Boost derived hybrid converter.

VI. BUCK-BOOST DERIVED HYBRID CONVERTER (BBDHC)

The Buck-Boost Derived Hybrid Converter (BBDHC) is derived from the single switch-controlled Buck Boost converter by replacing the controlled switch with voltage source inverter (VSI), either single phase or three phase. Fig. 8 shows the Simulink model for the BBDHC. The same control strategy used in the Boost Derived Hybrid Converter (BDHC) can be used for the control of BBDHC. The modes of operation of BBDHC is similar to that of BDHC. The limitation of Voltage control below input voltage in boost converter can be avoided with BBDHC.

VII. SIMULATION RESULTS

Fig. 9(a) and (b) shows the DC and AC output voltage waveform. Similar to Buck-Boost Converter DC voltage is negative with respect to common DC link.




Fig.10 (a) DC output voltage waveform, (b) AC output voltage waveform

VIII. CONCLUSION

This paper proposes new Hybrid converter topologies which can supply simultaneously both DC and AC loads from a single DC supply. The two hybrid converter topologies discussed in this paper are Boost Derived Hybrid Converter (BDHC) and Buck-Boost Derived Hybrid converter (BBDHC). The proposed hybrid converters has the following advantages, shoot-through condition does not cause any problem on working of the circuit hence improves the reliability of the system, Implementation of dead time circuitry is not needed, Independent control over AC and DC output and the converter can also be adapted to generate AC outputs at frequencies other than line frequencies by a suitable choice of the reference carrier waveform.

Limitations on voltage gain obtained by a BDHC can be achieved by BBDHC topology. In case of BDHC, for an input Voltage of 48V, maximum DC output voltage obtained is 190 V (THD=25.99%). Maximum AC voltage obtained as same as input voltage i.e. 48V AC (rms) (THD=18.65%). In order to obtain AC voltage levels higher than the input voltage a step up transformer need to be interfaced with the hybrid converter.

REFERENCES

- [1]. Ray and S. Mishra, "Boost-Derived Hybrid Converter with Simultaneous DC and AC Outputs," in *IEEE Transactions on Industry Applications*, vol. PP, July. 2013.
- [2]. O.Ray and S. Mishra, "Boost-Derived Hybrid Converter with Simultaneous DC and AC Outputs," in *IEEE Transactions on Industry Applications*, vol. PP, July. 2013.

- [3]. D. Boroyevich, I. Cvetkovic, D. Dong, R. Burgos, F. Wang, and F. Lee, "Future electronic power distribution system a contemplative view," in Proc. *12th International Conference on Optimization of Electrical and Electronic Equipment OPTIM'10*, Brasov, Romania, May 20–22, 2010, pp. 1369–1380.
- [4]. F. Blaabjerg, Z. Chen, S.B. Kjaer, "Power Electronics as Efficient Interface in Dispersed Power Generation Systems", in *IEEE Transaction on Power Electronics*, 2004, vol. 19, no. 4, pp. 1184-1194.
- [5]. R. Adda, S. Mishra and A. Joshi, "A PWM Control Strategy for Switched-Boost Inverter," in Proc. *IEEE ECCE 2011, Phoenix*, pp. 991-996, Sept. 2011.
- [6]. F. Z. Peng, M. Shen, and Z. Qian, "Maximum boost control of the Z-source inverter," in *IEEE Transaction On Power Electronics*, vol. 20, no. 4, pp. 833-838.
- [7]. D. Boroyevich, I. Cvetkovic, D. Dong, R. Burgos, F. Wang, and F. Lee, "Future electronic power distribution systems – a contemplative view," in Proc. *12th International Conference on Optimization of Electrical and Electronic Equipment OPTIM'10*, Brasov, Romania, May 20–22, 2010, pp. 1369– 1380.
- [8]. F. Blaabjerg, Z. Chen, and S. B. Kjaer, "Power electronics as efficient interface in dispersed power generation systems," *IEEE Trans. Power Electron.*, vol. 19, no. 5, pp. 1184–1194, Sep. 2004
- [9]. C. J. Gajanayake, F. L. Luo, H. B. Gooi, P. L. So, and L. K. Siow, "Extended-boost Z-source inverters," *IEEE Trans. Power Electron.*, vol. 25, no. 10, pp. 2642–2652, Oct. 2010.
- [10]. S. Mishra, R. Adda, and A. Joshi, "Inverse Watkins-Johnson topology based inverter," *IEEE Trans. Power Electron.*, vol. 27, no. 3, pp. 1066–1070, Mar. 2012.
- [11]. S. Upadhyay, R. Adda, S. Mishra, and A. Joshi, "Derivation and characterization of switched-boost inverter," in Proc. *14th Eur. Conf. PowerElectron. Appl.—EPE*, Birmingham, U.K., Aug. 2011, pp. 1–10.
- [12]. F. Z. Peng, M. Shen, and Z. Qian, "Maximum boost control of the Zsource inverter," *IEEE Trans. Power Electron.*, vol. 20, no. 4, pp. 833– 838, Jul. 2005.
- [13]. M. Shen, J. Wang, A. Joseph, F. Z. Peng, L. M. Tolbert, and D. J. Adams, "Constant boost control of the Z-source inverter to minimize current ripple and voltage stress," *IEEE Trans. Ind. Appl.*, vol. 42, no. 3, pp. 770–778, May/Jun. 2006.
- [14]. R. Adda, O. Ray, S.Mishra, and A. Joshi, "Synchronous-reference-frame based control of switched boost inverter for standalone dc nanogrid applications," *IEEE Trans. Power Electron.*, vol. 28, no. 3, pp. 1219–1233, Mar. 2013