

## **Implementation of the Mechanism- Cost-Minimizing Dynamic Migration of Content Distribution Services into Hybrid Clouds**

**K.Pradeep Reddy**

Associate Professor

Department of CSE

Tirumala Engineering College.

**M.Parimala**

Associate Professor

Department of CSE

Tirumala Engineering College.

**Kusuma Geethika**

M.Tech Student

Department of CSE

Tirumala Engineering College.

**ABSTRACT:**

*Cloud computing has become a highly demanded service or utility due to the advantages of high computing power, cheap cost of services, high performance, scalability, accessibility as well as availability. Cloud computing and storage solutions provide users and enterprises with various capabilities to store and process their data in third-party data centers. It relies on sharing of resources to achieve coherence and economy of scale, similar to a utility (like the electricity grid) over a network.*

*A growing number of content distribution applications are contemplating a switch to cloud based services. Two key tasks are involved for such a move: to migrate the contents to cloud storage, and to distribute the web service load to cloud-based web services. The main issue is to best utilize the cloud as well as the application provider's existing private cloud, to serve volatile requests with service response time guarantee at all times, while incurring the minimum operational cost. Employing Lyapunov optimization techniques, we design a dynamic control algorithm to optimally place contents and dispatch requests in a hybrid cloud infrastructure spanning geo-distributed data centers, which minimizes overall operational cost over time, subject to service response time constraints. Rigorous analysis shows that the algorithm nicely bounds the response times within the preset QoS target, and guarantees that the overall cost is within a small constant gap from the optimum achieved by a T-slot look ahead mechanism with known future information. We verify the performance of our dynamic algorithm with prototype-based evaluation.*

**INTRODUCTION**

Cloud computing technologies have enabled rapid provisioning server utilities to users anywhere, anytime. To exploit the diversity of electricity costs and to provide service proximity to users in different geographic regions, a cloud service often spans multiple data centers over the globe, e.g., Amazon CloudFront, Microsoft Azure. The elastic and on-demand nature of resource provisioning has made cloud computing attractive to providers of various applications. More and more new applications are being created on the cloud platform [1][2], while many existing applications are also considering the cloud-ward move [3][4], including content distribution applications [5][6].

As an important category of popular Internet services, content distribution applications, e.g., video streaming, web hosting and file sharing, feature large volumes of content and demands that are highly dynamic in the temporal domain.

A cloud platform with multiple, distributed data centers is ideal to host such a service, with substantial advantages over a traditional private or public content distribution network (CDN) based solution, in terms of more agility and significant cost reduction.


Two major components exist in a typical content distribution application, namely back-end storage for keeping the contents, and front-end web service to serve the requests. Both can be migrated to the cloud: contents can be stored in storage servers in the cloud, and requests can be distributed to cloud-based web services. Therefore, the key challenge for cloud-ward

move of a content distribution application is how to efficiently replicate contents and dispatch requests across multiple cloud data centers and the provider's existing on-premise servers such that good service response time is guaranteed and only modest operational expenditure is incurred. Some existing work [3][4][5][6] have advocated to optimize application migration into clouds, but none focuses on guaranteeing over-time cost minimization with a dynamic algorithm.

In this paper, we present a generic optimization framework for dynamic, cost-minimizing migration of content distribution services into a hybrid cloud (i.e., private and public clouds combined), and design a joint content placement and load distribution algorithm that minimizes overall operational cost over time, subject to service response time constraints. Our design is rooted in Lyapunov optimization theory [7][8], where cost minimization and response time guarantee are achieved simultaneously by efficient scheduling of content migration and request dispatching among data centers. Lyapunov optimization provides a framework for designing algorithms with performance arbitrarily close to the optimal performance over a long run of the system, without the need for any future information. It has been extensively used in routing and channel allocation in wireless networks [7][9], and has only recently been introduced to address resource allocation problems in a few other types of networks [10][11]. We tailor Lyapunov optimization techniques in the setting of a hybrid cloud, to dynamically and jointly resolve the optimal content replication and load distribution problems. We demonstrate the optimality of our algorithm with rigorous theoretical analysis.

The algorithm nicely bounds the service response times within the preset QoS target in cases of arbitrary request arrivals, and guarantees that the overall cost is within a small constant gap from the optimum achieved by a T-slot lookahead mechanism with information into the future.

**SYSTEM ARCHITECTURE:**



**EXISTING SYSTEM:**

- Two major components exist in a typical content distribution application, namely back-end storage for keeping the contents, and front-end web services to serve the requests. Both can be migrated to the cloud: contents can be stored in storage servers in the cloud, and requests can be distributed to cloud-based web services.
- Hajjat et al. developed an optimization model for migrating enterprise IT applications onto a hybrid cloud. Their model takes into account enterprise-specific constraints, such as transaction delays and security policies.
- Zhang et al. propose an intelligent algorithm to factor workload and dynamically determine the service placement across the public cloud and the private cloud.
- Chen et al. propose to build CDNs in the cloud in order to minimize cost under the constraints of QoS requirement

**DISADVANTAGES OF EXISTING SYSTEM:**

- Onetime optimal service deployment is considered.
- They only propose greedy-strategy based heuristics without provable properties.
- It focuses on balancing the data access load, by considering social relationships and user access patterns in the data storage.

**PROPOSED SYSTEM:**

In this paper, we present a generic optimization framework for dynamic, cost-minimizing migration of content distribution services into a hybrid cloud (i.e., private and public clouds combined), and design a joint content placement and load distribution algorithm that minimizes overall operational cost over time, subject to service response time constraints.

Our design is rooted in Lyapunov optimization theory, where cost minimization and response time guarantee are achieved simultaneously by efficient scheduling of content migration and request dispatching among data centers.

Lyapunov optimization provides a framework for designing algorithms with performance arbitrarily close to the optimal performance over a long run of the system, without the need for any future information.

We propose a generic optimization framework for dynamic, optimal migration of a content distribution service to a hybrid cloud consisting of a private cloud and public geo-distributed cloud services.

We design a joint content placement and load distribution algorithm for dynamic content distribution service deployment in the hybrid cloud. Providers of content distribution services can practically apply it to guide their service migration, with confidence in cost minimization and performance guarantee, regardless of the request arrival pattern.

**ADVANTAGES OF PROPOSED SYSTEM:**

- We tailor Lyapunov optimization techniques in the setting of a hybrid cloud, to dynamically and jointly resolve the optimal content replication and load distribution problems.
- We demonstrate optimality of our algorithm with rigorous theoretical analysis and prototype-based evaluation. The algorithm nicely bounds the response times (including queueing and round-trip delays) within the preset QoS target in cases of arbitrary request arrivals, and guarantees that the overall cost is within a small constant gap from the optimum

achieved by a T-slot lookahead mechanism with information into the future.

**Algorithm: Control Algorithm on the Control Center**

**Initialization:**

Set up request queue  $Q_j^{(m)}$ , virtual queues  $G$  and  $Z_j^{(m)}, \forall j \in \mathcal{N}, m \in \mathcal{M}$ , and initialize their backlogs to 0;

**In every time slot  $t$ :**

1. Enqueue received requests to request queues ( $Q_j^{(m)}$ 's);
2. Solve optimization (14) to obtain optimal content placement and load distribution strategies  $c_{ji}^{(m)}(t), s_j^{(m)}(t), y_i^{(m)}(t), \forall j, i \in \mathcal{N}, m \in \mathcal{M}$ ;
3. Update content placement table with  $y_i^{(m)}(t)$ 's, and migrate files as follows:  
**for  $i \in \mathcal{N}, m \in \mathcal{M}$  do**
  - if  $y_j^{(m)}(t-1) = 0$  and  $y_j^{(m)}(t) = 1$  then**  
instruct on-premise server to upload file  $m$  to data center  $i$ ;
  - if  $y_j^{(m)}(t-1) = 1$  and  $y_j^{(m)}(t) = 0$  then**  
signal data center  $i$  to remove file  $m$ ;
4. Dispatch  $s_j^{(m)}(t)$  requests from queue  $Q_j^{(m)}$  to on-premise server,  $c_{ji}^{(m)}(t)$  requests to data center  $i, \forall j, i \in \mathcal{N}, m \in \mathcal{M}$ ;
5. Update virtual queue  $Z_{ji}^{(m)}$  and  $G$  according to Eqn. (11) and (10);

**CONCLUSIONS**

In this review paper we are studied various techniques and algorithms are load balancing, job scheduling to utilization of resources in proper ways. Virtualization techniques is one of powerful feature of the cloud computing. Live migration is to improve performance and availability. In this paper optimal migration of a content distribution service to a hybrid cloud consisting of a private cloud and public cloud services. Using the Lyapunov optimization technique which can minimizes the operational cost of the application with Quality of service guarantees. Achieving efficient load balancing as well as provide high security

**REFERENCES**

[1] Xuanjia Qiu, Hongxing Li, Chuan Wu, Zongpeng Liy and Francis C.M. Lau, "Cost-Minimizing Dynamic Migration of Content Distribution Services into Hybrid

Clouds,” DOI 10.1109/TPDS.2014.2371831, IEEE Transactions on Parallel and Distributed Systems.

[2] Siva Theja Maguluri , R. Srikant and Lei Ying,” Stochastic Models of Load Balancing and Scheduling in Cloud Computing Clusters,” 2012 Proceedings IEEE, INFOCOM 978-1-4673-0775-8/12/\$31.00 ©2012 IEEE.

[3] Seematai S. Patil, Koganti Bhavani,” Dynamic Resource Allocation using Virtual Machines for Cloud Computing Environment,” International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 – 8958, Volume-3 Issue-6, August 2014.

[4] Norman Bobroff, Andrzej Kochut, Kirk Beaty, “Dynamic Placement of Virtual Machines for Managing SLA Violations “1-4244-0799-0/07/\$25.00 ©2007 IEEE.

[5] K K Shahabanath, T Sreekesh Namboodiri, ”Scheduling algorithm for allocation of resources in cloud computing Environment,” International Journal of Engineering Trends and applications (IJETA) – Volume 1 Issue 1, Jul-Aug 2014.

[6] Jeffrey S. Chase, Darrell C. Anderson, Prachi N. Thakar, Amin M. Vahdat,” Managing Energy and Server Resources in Hosting Centers,” SOSP '01 Proceedings of the eighteenth ACM symposium on Operating systems principles, year 2011.

[7] Mayanka Katyal , Atul Mishra,” Application of Selective Algorithm for Effective Resource Provisioning In Cloud Computing Environment,” International Journal on Cloud Computing: Services and Architecture (IJCCSA) ,Vol. 4, No. 1, February 2014.

[8] Zhen Xiao, Weijia Song and Qi Chen,” Dynamic Resource Allocation using Virtual Machines for Cloud Computing Environment,” IEEE TRANSACTION ON PARALLEL AND DISTRIBUTED SYSTEMS. VOL. 24 , NO. 6 YEAR 2013.

[9] Tejinder Sharma and Vijay Kumar Banga,” Efficient and Enhanced Algorithm in Cloud Computing,” International Journal of Soft Computing and Engineering (IJSCE) ISSN: 2231-2307, Volume-3, Issue-1, March 2013.

[10] Shaolei Ren, Yuxiong He and Fei Xu,” Provably-Efficient Job Scheduling for Energy and Fairness in Geographically Distributed Data Centers,” IEEE International Conference on Distributed Computing Systems, 1063-6927/12 \$26.00 © 2012 IEEE DOI 10.1109/ICDCS.2012.77.

[11] Ninad Shinde and J. Ratnaraja Kumar,” Review of Delay and Cost Efficient Methods in Cloud Computing,” International Journal of Recent Technology and Engineering (IJRTE) ISSN: 2277-3878, Volume-2, Issue-5, November 2013.

[12] Prabhjot Kaur and Dr. Pankaj Deep Kaur,” Efficient and Enhanced Load Balancing Algorithms in Cloud Computing,” International Journal of Grid Distribution Computing Vol.8, No.2 (2015), pp.9-14, <http://dx.doi.org/10.14257/ijgdc.2015.8.2.02>.

[13] Haitao Li, Lili Zhong,, Jiangchuan Liu, Bo Li, Ke Xu, “Cost-effective Partial Migration of VoD Services to Content Clouds,” IEEE 4th International Conference on Cloud Computing, 2011.

[14] X. Cheng and J. Liu, “Load-Balanced Migration of Social Media to Content Clouds,” in Proc. of NOSSDAV, June 2011.

[15] M. M. Amble, P. Parag, S. Shakkottai, and L. Ying, “Content-Aware Caching and Traffic Management in Content Distribution Networks,” in Proc. of IEEE INFOCOM, April 2011.

[16] M. Pathan, J. Broberg, and R. Buyya, “Maximizing Utility for Content Delivery Clouds,” in Proc. of the 10th International Conference on Web Information Systems Engineering, 2009.



[17] Mohamed Esam Elsaid, Christoph Meinel, "Live Migration Impact on Virtual Datacenter Performance," 978-1-4799-4357-9/14 \$31.00 © 2014 IEEE DOI 10.1109/FiCloud.2014.42

[18] L. Dhivya, Ms. K. Padmaveni, "Dynamic Resource Allocation Using Virtual Machines for Cloud Computing Environment," IJREAT International Journal of Research in Engineering & Advanced Technology, Volume 2, Issue 1, Feb-Mar, 2014